



ALWAYS CHECK WITH YOUR VET BEFORE GIVING ANY MEDICATION TO YOUR DOG.

Tablets don't work well because it's too hard to accurately divide them into the small amount needed. So, get **liquid Children's Benadryl**.

Please note: Check the label before you buy and follow these guidelines:

- Do not use Adult Benadryl Elixir – it contains alcohol, dangerous for dogs.
- Do not use sugar-free Benadryl – it contains Xylitol, poisonous to dogs.
- Do not use Benadryl that contains **ibuprofen, aspirin, or acetaminophen**.
- Don't pick a no-name or generic version.
- Look for the active ingredient **Diphenhydramine**



A syringe without needle, like this one, is very handy for measuring and giving liquids to your Morkie.

Children's liquid Benadryl can be used to treat your dog for:

- Motion sickness
- Itching
- Allergies
- Insect Bites
- Mild reactions to vaccinations
- Rapid heart rate
- Depression

Always check with your Vet before you give your Morkie any meds.

Potential side effects of Benadryl can include:

- Drooling
- Excitability
- Drowsiness
- Rapid breathing
- Rapid heart rate
- Depression

See your Vet immediately for severe reactions.

Dog's weight in pounds	# of ml of Benadryl	# of teaspoons
2 ½	1	¼
3	1.2	¼
3 ½	1.4	¼
4	1.6	⅓
4 ½	1.8	⅜
5	2	⅜
5 ½	2.2	½
6	2.4	½
6 ½	2.6	½
7	2.8	½
7 ½	3	⅔
8	3.2	⅝
8 ½	3.4	⅔
9	3.6	⅔
10	4	⅞
11	4.4	⅞
12	4.8	1
13	5.2	1
14	5.6	1 ⅛
15	6	1 ⅛

For more helpful information about your Morkie, Yorkie or Maltese dog, please visit AboutMorkies.com