

PURGE THE POISON. In most cases of poisoning, getting your pet to vomit is the most important thing that you can do, if your dog has eaten within the last 2 hours. **DO NOT INDUCE VOMITING** if your dog has consumed something caustic, like drain cleaner or bleach or if you don't know what he ate.

Keep an anti-poisoning kit on hand

- a fresh bottle of **3% Hydrogen Peroxide**, available at any drugstore
- measuring spoon for 1 Tablespoon
- a small bowl for mixing
- a turkey baster
- eyedropper
- these instructions printed out
- your Veterinarian's name and phone number
- the number for your local animal poison control centre

Try to contact your Vet before getting your dog to vomit, because in some cases, this could cause more harm than good.

How to get your dog to throw up

1. Mix EQUAL PARTS hydrogen peroxide and water and give to your dog right away. Use an eyedropper or even turkey baster, to get the liquid right into his mouth so that he swallows it.
2. Wait 10 minutes and repeat if your dog hasn't thrown up.
3. Repeat up to 2 more times, for a total of 3 treatments.

DOSAGE: 1 or 2 tablespoons OF THE WATER/HYDROGEN PEROXIDE MIXTURE per 10 pounds body weight.

up to 10 lbs	1 Tablespoon	30 to 40 lbs	2 Tablespoons
10 to 20 lbs	2 Tablespoons	40 to 50 lbs	2 Tablespoons
20 to 30 lbs	3 Tablespoons	50 to 70 lbs	2 Tablespoons

Bottom Line: If there is any possibility that your Morkie came into contact with a poison, call the Vet immediately, since the onset of symptoms could be delayed a day or even two...and by then, it may be too late.

If you cannot get to the Vet immediately, you can call a 24-hour emergency hotline staffed with experienced Veterinarian. **Google your nearest service now, and keep the number handy.**

My nearest 24 hour emergency Vet Hospital:

Name: _____

Phone # _____

Address _____

My Vet:

Name: _____

Phone #: _____